


Плагин диспетчера конфигураций

Совместим с «Докувики»

(bundled)



Управляйте настройками конфигурации вашей вики (в комплекте с DokuWiki)



Последнее обновление:

2014-03-18

Предоставляет

[Admin](#)

Теги: [!bundled](#), [configuration](#), [options](#), [settings](#)

- [Christopher Smith](#)

- [box](#)

Description

Configuration Manager

Use this page to control the settings of your DokuWiki installation. For help on individual settings refer to [the config](#). For more details about this plugin see [the plugin config](#).

Settings shown with a light red background are protected and can not be altered with this plugin. Settings shown with a blue background are the default values and settings shown with a white background have been set locally for this particular installation. Both blue and white settings can be altered.

Remember to press the **SAVE** button before leaving this page otherwise your changes will be lost.

DokuWiki Settings

Basic Settings

Wiki title aka. your wiki's name	TestWiki
Page name to use as the starting point for each namespace	start
Interface language	en
Template aka. the design of the wiki.	dokuwiki
Tagline (if template supports it)	It's better when it's simple
Sidebar page name (if template supports it), empty field disables the sidebar	sidebar
Under which license should your content be released?	CC Attribution-Noncommercial-Share Alike 3.0 Unported
Directory for saving data	/data
Server path (eg. /dokuwiki/), Leave blank for autodetection.	
Server URL (eg. http://www.yourserver.com), Leave blank for autodetection.	
Cookie path. Leave blank for using baseurl.	
Directory creation mode	0755

The Config Manager allows wiki [administrators](#) to easily alter the wiki [configuration](#) settings online from the comfort of their favorite web browser. This plugin manages basic DokuWiki configurations as well as [other settings](#) for installed [plugins](#) and currently used [template](#).

Usage

The Config Manager is accessible from the admin screen (Login as superuser, click «Admin» and choose « Configuration Settings»).

Settings are shown with different backgrounds to highlight their current status.

- A blue background is used to show default values (conf/dokuwiki.php), eg. values that have not been modified by the user.
- A white background indicates local changes (conf/local.php).
- A light red background shows protected settings (conf/local.protected.php) which can not be modified.

Modify settings to your needs and save it by using the Save button at bottom of the page, by pressing 'Enter' in a textbox or by using the [accesskey](#) of your browser: <accesskey> + S

How is your config saved

On saving changed settings this plugin will copy the current local settings file (conf/local.php) to conf/local.php.bak and save the updated settings to conf/local.php. It will never make any changes to the default settings stored in conf/dokuwiki.php. However, any settings found in conf/local.php will override the default settings as explained in the [configuration options page](#).

The plugin adds the following lines to the top of conf/local.php when it updates it:

[conf/local.php](#)

```
/*
 * DokuWiki's Main Configuration File - Local Settings
 * Auto-generated by config plugin
 * Run for user: <username>
 * Date: <current date/time, rfc 2822 format (day, dd MMM YYYY hh:mm:ss
TZ)>
 */
```

Protecting Settings

You can protect certain settings by placing them in `conf/local.protected.php` (create the file if it doesn't exist).

By default DokuWiki loads its configuration files in the following order:

1. `conf/dokuwiki.php`
2. `conf/local.php`
3. `conf/local.protected.php`

This way, it is ensured that any values previously set from `conf/dokuwiki.php` and `conf/local.php` will be overridden by protected values from `conf/local.protected.php`. Any settings found in `conf/local.protected.php` will be displayed by the plugin surrounded in light-red to indicate their protected status. Editing of protected values is disabled.

The loading order of configuration files is controlled by the global `$config_cascade` variable.

Example

`conf/local.protected.php`

```
<?php
/**
 * Protected settings
 * Do override DokuWiki default settings and local settings from Config
Manager
 */
$config['useacl'] = 1;
```

File Permissions

To be able to save the configuration data, the file permissions of `conf/local.php` needs to be writable by the webserver, as well as the configuration directory itself. Refer to [permissions](#) on details how set file permissions on various systems.

When the plugin detects that the config file can not be written, it will show a message box at the top

of the page that says

«The settings file can not be updated, if this is unintentional, ensure the local settings file name and permissions are correct.»

When this happens, the save button won't be shown.

Triangle, Exclamation and Padlock Mark

Some fields in the configuration page show:

- A yellow warning sign (), or
- An exclamation mark in a red circle () , or
- The drawing of a padlock ()

These are the meanings of these three symbols:

 **Yellow Mark** ⇒ changing this option may result in undesirable behaviors.

 **Red circle** ⇒ changing this option could make your wiki and the configuration menu inaccessible.

 **Padlock** ⇒ changing this option could present a security risk.

Please, keep attention when you change these fields.

Источник информации

<https://www.dokuwiki.org/plugin:config>

From:

<https://wwoss.ru/> - worldwide open-source software

Permanent link:

<https://wwoss.ru/doku.php?id=plugin:config>

Last update: **2025/02/10 18:21**

