

Starter шаблон

Совместим с «Докувики»

- 2024-02-06 "Kaos" **да**
- 2023-04-04 "Jack Jackrum" **да**
- 2022-07-31 "Igor" **неизвестно**
- 2020-07-29 "Hogfather" **да**



Шаблон, с которого можно начать



Последнее обновление:

2024-01-21

Репозиторий

[исходный код](#)

Похож на [benjamin](#), [twigstarter](#)

Теги: [sidebar](#), [simple](#), [start](#)

- **Anika Henke**

- [dokuwiki](#)

Шаблон **Starter Template** разработан как отправная точка для вашего пользовательского шаблона. Он содержит множество встроенных комментариев в коде, которые должны объяснять многие вещи. Он меньше фокусируется на дизайне, но больше на удобстве обслуживания.

Это сделано таким образом, что позволяет вам меньше беспокоиться о базовых стилях DokuWiki. Вместо этого вам нужно заботиться только о пяти основных стилях:

- **basic.css**: Вероятно, вам следует прикоснуться к этому параметру только в том случае, если вы хотите изменить общие размеры шрифтов и стеки шрифтов.
- **structure.css**: Вероятно, вам стоит прикоснуться к этому, только если вы хотите изменить общую структуру сайта (сделать ее трехколоночной, или разной ширины, или сделать все гибким, или переместить боковую панель вправо и т. д.).
- **design.css**: Здесь вы можете задать стиль всем частям, окружающим содержимое страницы.

- **content.css**: Здесь вы можете задать стиль всего содержимого страницы.
- **mobile.css**: Здесь вы можете настроить все изменения для мобильных устройств и небольших экранов.

[Дополнительные советы по созданию легко поддерживаемого шаблона DokuWiki](#) можно найти в статье Андреаса Хертера (основанной на более ранней записи в блоге Михаэля Клиера).

Общую информацию см. в [документации по разработке шаблонов](#).

Загрузите и установите

- Для версии DokuWiki 2014-05-05 (Ponder Stibbons) и более поздних версий: используйте менеджер расширений для установки этого шаблона.
- Для Binky или Weatherwax: Вы можете [загрузить более старую версию](#).
- Если вас интересует более урезанная версия шаблона, вы можете использовать [ветку "minimal"](#). Эта версия почти не использует CSS и не включает никаких дополнительных функций.

Информацию о том, как устанавливать и использовать шаблоны в DokuWiki, см. в разделе [Шаблоны](#).

Configuration

These are in `[theme root]/starter/conf/default.php`. It can be changed from the Configuration panel.

config option	description	default value
hideTools	hide editing and other tools when not logged in	0
sidebarIsNav	use a nav element around the sidebar if it's mainly used for navigation, otherwise use an aside element (new since version 2021-01-25)	1

Config options in previous versions (removed in version 2021-01-25):

- **discussionPage**: Discussion page functionality was removed and can be replaced by using the [Talkpage Plugin](#); just change the `talkns` option from 'talk' to 'discussion' to use the same namespace as before
- **userPage**: User page functionality was removed and can be replaced by using the [Userpage Plugin](#)

More Info

Credits

- Thanks to  [Andreas Gohr](#) for general advice.
- Thanks to [Clarence Lee](#) for his design advice, especially concerning typography.

Changes

If you are a template author using this template as a base for your own, you might want to check out the [list of detailed changes](#).

- [version 2024-01-21](#) (2024/01/21 16:12)
- [treat inline SVGs the same way as other IMGs in CSS](#) (2024/01/21 16:12)
- [adjust extensions for changed stylesheets from core in style.ini](#) (2024/01/21 16:11)
- [version 2021-01-25](#) (2021/01/25 17:15)
- [Hide background images from menu items inserted via plugins](#) (2021/01/25 17:12)
- [Add semantic section elements and config if sidebar is nav or not](#) (2021/01/25 17:11)
- [Add mobile menu \(but commented out\)](#) (2021/01/25 09:33)
- [Implement new menu system \(fixes #14\)](#) (2021/01/25 09:31)

Demo

- <http://demo.selfthinker.org/>

Templates based on Starter

- [the new default template since Adora Belle](#)
- [ACH](#)
- [monobook](#) (the DokuWiki CSS parts)
- [vector](#) (the DokuWiki CSS parts)
- [Taratasy](#)
- [Apricot](#)
- [Scanlines](#)
- [Writer's](#)
- [Zenlike](#)
- [Benjamin](#)
- [STM](#)

Comments

- clear and useful☐ great☐
- thank you, this template is very clean and useful for most cases! love this :)
- Very nice stuff.

How to translate this theme?

There are three files to translate:

- [lang/en/lang.php](#) is for everything you see on the frontend (although the «accessibility headlines» are hidden for most users) plus descriptions for style.ini placeholders which the [Styling](#) plugin in the admin section uses. This file is the most important to translate.
- [lang/en/settings.php](#) is for the configuration admin. This file is not as important as the other, as

it will only be seen by the admin(s).

- [lang/en/style.txt](#) is for extra information about configuration of the template displayed under the form of the [Styling](#) plugin in the admin section.

You can either send me language files to update by email or post them here or in the [bugtracker](#). Please have a look at the [available translations](#) first.

How to insert a logo image instead of text?

Open the template's `main.php` and search for «logo». It's explained in there.

CSS bug w/ zoom plugin

An image included with the zoom plugin will scroll over the footer and hide it

I cannot reproduce this. Do you have any more specific information? (Browser, other installed plugins, etc?) — [Anika Henke](#) 2011/05/02 16:45

Tools hidden - can't login

In the template config, I selected «*hide editing and other tools when not logged in*» and then I logged out. But now I can't log in as there is no «Login» button/link showing.

Am I missing something? — *Nactus* 2011-11-10

You probably need to save/remember the login URL (you can get it just by adding `?do=login` to any DokuWiki URL). In fact I use the following [bookmarklet](#):

```
javascript:window.location=window.location+"?do=login"
```

(I'm assuming the use of [webserver rewriting](#)) — [Antonio Bueno](#) 2011/11/11 21:40

That sounds like a good idea! Thanks — *Nactus* 2011-11-13

Backlink for Discussion Has Wrong Page ID

in line 31 of `tpl_functions`

```
tpl_pagelink($backID, $backTitle);
```

returns

```
discussion:home
```

for the page ID when the link is built. The issue is not with the `_tpl_discussion` function as replacing `$backID` with `'home'` produces the same problem.

A fix is:

```
tpl_pagelink(':'.$backID, $backTitle);
```

Thanks. That's fixed since today's release. —  [Anika Henke](#) 2014-05-19 03:24

From:

<https://wwoss.ru/> - **worldwide open-source software**

Permanent link:

<https://wwoss.ru/doku.php?id=wiki:template:starter&rev=1739014373>

Last update: **2025/02/08 14:32**

