

[parser.php](#)

```
1. <?php
2.
3. use dokuwiki\Debug\PropertyDeprecationHelper;
4.
5. /**
6.  * Define various types of modes used by the parser - they are
   used to
7.  * populate the list of modes another mode accepts
8.  */
9. global $PARSER_MODES;
10. $PARSER_MODES = array(
11.     // containers are complex modes that can contain many other
   modes
12.     // hr breaks the principle but they shouldn't be used in
   tables / lists
13.     // so they are put here
14.     'container' => array('listblock', 'table', 'quote', 'hr'),
15.
16.     // some mode are allowed inside the base mode only
17.     'baseonly' => array('header'),
18.
19.     // modes for styling text -- footnote behaves similar to
   styling
20.     'formatting' => array(
21.         'strong', 'emphasis', 'underline', 'monospace',
22.         'subscript', 'superscript', 'deleted', 'footnote'
23.     ),
24.
25.     // modes where the token is simply replaced - they can not
   contain any
26.     // other modes
27.     'substitution' => array(
28.         'acronym', 'smiley', 'wordblock', 'entity',
29.         'camelcaselink', 'internallink', 'media',
30.         'externallink', 'linebreak', 'emaillink',
31.         'windowssharelink', 'filelink', 'notoc',
32.         'nocache', 'multiplyentity', 'quotes', 'rss'
33.     ),
34.
35.     // modes which have a start and end token but inside which
36.     // no other modes should be applied
37.     'protected' => array('preformatted', 'code', 'file'),
38.
39.     // inside this mode no wiki markup should be applied but
   lineendings
40.     // and whitespace isn't preserved
41.     'disabled' => array('unformatted'),
42.
```

```
43.      // used to mark paragraph boundaries
44.      'paragraphs' => array('eol')
45.  );
46.
47.  /**
48.   * Class Doku_Parser
49.   *
50.   * @deprecated 2018-05-04
51.   */
52.  class Doku_Parser extends \dokuwiki\Parsing\Parser {
53.      use PropertyDeprecationHelper {
54.          __set as protected deprecationHelperMagicSet;
55.          __get as protected deprecationHelperMagicGet;
56.      }
57.
58.      /** @inheritdoc */
59.      public function __construct(Doku_Handler $handler = null) {
60.          dbg_deprecated(\dokuwiki\Parsing\Parser::class);
61.          $this->deprecatePublicProperty('modes', __CLASS__);
62.          $this->deprecatePublicProperty('connected', __CLASS__);
63.
64.          if ($handler === null) {
65.              $handler = new Doku_Handler();
66.          }
67.
68.          parent::__construct($handler);
69.      }
70.
71.      public function __set($name, $value)
72.      {
73.
74.          if ($name === 'Handler') {
75.              $this->handler = $value;
76.              return;
77.          }
78.
79.          if ($name === 'Lexer') {
80.              $this->lexer = $value;
81.              return;
82.          }
83.
84.          $this->deprecationHelperMagicSet($name, $value);
85.      }
86.
87.      public function __get($name)
88.      {
89.          if ($name === 'Handler') {
90.              return $this->handler;
91.          }
92.
```

```
93.         if ($name === 'Lexer') {  
94.             return $this->lexer;  
95.         }  
96.  
97.         return $this->deprecationHelperMagicGet($name);  
98.     }  
99. }
```

From:

<https://wwoss.ru/> - **worldwide open-source software**

Permanent link:

<https://wwoss.ru/doku.php?id=wiki:xref:dokuwiki:inc:parser:parser.php>

Last update: **2025/01/17 12:31**

